



## Pulley Man PM300-600

### Product information

The Pulley Man, with a weight of just 4 kg, is easy to carry. This winch can be installed in three ways, rotates 360 degrees and has an infinite cable.

- Light weight and portable
- Suitable to lift loads up to 600 kg (PM600)
- Suitable to pull loads up to 3000 kg
- Can be used with a cordless drill and power drill
- Possible to rotate the load 360°
- Cable length unlimited in traction.
- Cable length limited to 50 m in lifting (beyond 12 m, loss of 10% of lifting force per 10 m section).
- Standard rope length 12 meters
- Patented self-braking reduction brake
- 1 layer of paint

**Marking:** According to standard, CE-marked

**Standard:** EN 13157

**Note:** Cordless drill or power drill purchased separately

| Part code       | WLL<br>ton | Lifting height<br>m | Lifting speed<br>m/min | Number of falls | Model | Weight<br>kg | Delivery time |
|-----------------|------------|---------------------|------------------------|-----------------|-------|--------------|---------------|
| 501300030000620 | 0.3        | 12                  | 6                      | 1               | PM300 | 5            | 12            |
| 501300060000620 | 0.6        | 12                  | 3                      | 2               | PM600 | 6            | 12            |

## Technical data

Maximum loading capacity at wheeled traction on a plane surface depending on the slope

| <b>Gradient</b> | <b>PM300</b><br><b>kg</b> | <b>PM600</b><br><b>kg</b> |
|-----------------|---------------------------|---------------------------|
| 6°              | 1500                      | 3000                      |
| 12°             | 975                       | 1950                      |
| 16°             | 825                       | 1650                      |
| 27°             | 585                       | 1170                      |
| 35°             | 450                       | 900                       |

# Blueprint

