

Webbing Slings B4

Product information



Four-layer lifting slings. The width of the sling is increased in relation to the lifting capacity. Ideal for areas where minimum surface pressure is required on the load to be lifted, such as boat lifting. Reinforced folding eyelets as standard.

Material: 100% polyester

Marking: According to standard, CE-marked

Temperature range: -40°C up to +100°C

Standard: EN 1492-1

Note: Color coded

Part code	WLL ton	EWL m	Webbing width mm	Colour	Delivery time
41030056F	2	1	30	Green	12
41030055F	2	2	30	Green	12
41030046F	2	3	30	Green	12
41030102F	2	4	30	Green	12
41030103F	2	5	30	Green	12
41030104F	2	6	30	Green	12

41030105F	2	7	30	Green	12
41030106F	2	8	30	Green	12
41030107F	2	9	30	Green	12
41030108F	2	10	30	Green	12
41030109F	4	1	60	Grey	12
41030071F	4	2	60	Grey	12
41030070F	4	3	60	Grey	12
41030067F	4	4	60	Grey	12
41030045F	4	5	60	Grey	12
41030110F	4	6	60	Grey	12
41030111F	4	7	60	Grey	12
41030112F	4	8	60	Grey	12
41030113F	4	9	60	Grey	12
41030114F	4	10	60	Grey	12
41030094F	6	2	90	Brown	12
41030039F	6	3	90	Brown	12
41030054F	6	4	90	Brown	12
41030049F	6	5	90	Brown	12
41030040F	6	6	90	Brown	12
41030115F	6	7	90	Brown	12
41030100F	6	8	90	Brown	12
41030116F	6	9	90	Brown	12
41030117F	6	10	90	Brown	12

41030052F	8	2	120	Blue	12
41030118F	8	3	120	Blue	12
41030119F	8	4	120	Blue	12
41030120F	8	5	120	Blue	12
41030041F	8	6	120	Blue	12
41030091F	8	7	120	Blue	12
41030121F	8	8	120	Blue	12
41030122F	8	9	120	Blue	12
41030089F	8	10	120	Blue	12
41030123F	10	3	150	Orange	12
41030124F	10	4	150	Orange	12
41030097F	10	5	150	Orange	12
41030084F	10	6	150	Orange	12
41030125F	10	7	150	Orange	12
41030095F	10	8	150	Orange	12
41030126F	10	9	150	Orange	12
41030090F	10	10	150	Orange	12
41030151F	16	3	240	Orange	12
41030152F	16	4	240	Orange	12
41030080F	16	5	240	Orange	12
41030051F	16	6	240	Orange	12
41030059F	16	7	240	Orange	12
41030064F	16	8	240	Orange	12

41030048F	16	9	240	Orange	12
41030065F	16	10	240	Orange	12
41030075F	20	3	300	Orange	12
41030098F	20	4	300	Orange	12
41030068F	20	5	300	Orange	12
41030066F	20	6	300	Orange	12
41030127F	20	7	300	Orange	12
41030001F	20	8	300	Orange	12
41030128F	20	9	300	Orange	12
41030053F	20	10	300	Orange	12
41030129F	24	3	300	Orange	12
41030130F	24	4	300	Orange	12
41030131F	24	5	300	Orange	12
41030132F	24	6	300	Orange	12
41030133F	24	7	300	Orange	12
41030134F	24	8	300	Orange	12
41030135F	24	9	300	Orange	12
41030136F	24	10	300	Orange	12