

Webbing slings 0,5 - 12 t

Product information



Double layer Duplex webbing slings 0,5 - 12 t. Folded reinforced eyes as standard and also available with flat eye. Color coded.

Thanks to our own production unit, we can also make quick deliveries of special types and lengths as well as lifting slings with higher WLL up to 12t.

... [Read more](#)

Material: Polyester

Note: Standard dimensional tolerance is $\pm 3\%$. Lengths can vary within the tolerance range!

Webbing slings 0,5 - 12 t

Technical data

Part code	WLL ton	EWL	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Webbing width mm	Packing/pallet units	Packing Qty.	Colour
41020034F	1	1	0.8	2	1.4	1	30	1,600	100	Violet
41020031F	1	1.5	0.8	2	1.4	1	30	1,120	70	Violet
41020041F	1	2	0.8	2	1.4	1	30	960	60	Violet
41020038F	1	2.5	0.8	2	1.4	1	30	800	50	Violet
41020045F	1	3	0.8	2	1.4	1	30	800	50	Violet
41020044F	1	3.5	0.8	2	1.4	1	30	640	40	Violet
41020049F	1	4	0.8	2	1.4	1	30	640	40	Violet
41020051F	1	5	0.8	2	1.4	1	30	560	35	Violet
41020054F	1	6	0.8	2	1.4	1	30	480	30	Violet
41020057F	1	8	0.8	2	1.4	1	30	320	20	Violet
41020059F	1	10	0.8	2	1.4	1	30	320	20	Violet
41020072F	2	1	1.6	4	2.8	2	60	800	50	Green
41020079F	2	2	1.6	4	2.8	2	60	-	-	Green
41020082F	2	3	1.6	4	2.8	2	60	375	25	Green
41020084F	2	4	1.6	4	2.8	2	60	-	-	Green
41020087F	2	5	1.6	4	2.8	2	60	-	-	Green
41020088F	2	6	1.6	4	2.8	2	60	-	-	Green
41020093F	2	8	1.6	4	2.8	2	60	180	12	Green
41020094F	2	10	1.6	4	2.8	2	60	150	10	Green
41020074F	2	1.5	1.6	4	2.8	2	60	560	35	Green
41020080F	2	2.5	1.6	4	2.8	2	60	-	-	Green
41020083F	2	3.5	1.6	4	2.8	2	60	-	-	Green
41020095F	3	1	2.4	6	4.2	3	90	525	35	Yellow
41020098F	3	2	2.4	6	4.2	3	90	270	18	Yellow
41020100F	3	3	2.4	6	4.2	3	90	-	-	Yellow
41020103F	3	4	2.4	6	4.2	3	90	-	-	Yellow
41020108F	3	5	2.4	6	4.2	3	90	135	9	Yellow
41020110F	3	6	2.4	6	4.2	3	90	-	-	Yellow
41020115F	3	8	2.4	6	4.2	3	90	90	6	Yellow
41020117F	3	10	2.4	6	4.2	3	90	90	6	Yellow
41020102F	3	3.5	2.4	6	4.2	3	90	-	-	Yellow

Webbing slings 0,5 - 12 t

Technical data

Part code	WLL ton	EWL	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Webbing width mm	Packing/pallet units	Packing Qty.	Colour
41020096F	3	1.5	2.4	6	4.2	3	90	375	25	Yellow
41020099F	3	2.5	2.4	6	4.2	3	90	270	18	Yellow
41020120F	4	1	3.2	8	5.6	4	120	288	16	Grey
41020124F	4	2	3.2	8	5.6	4	120	216	12	Grey
41020127F	4	3	3.2	8	5.6	4	120	-	-	Grey
41020128F	4	4	3.2	8	5.6	4	120	-	-	Grey
41020129F	4	5	3.2	8	5.6	4	120	108	6	Grey
41020130F	4	6	3.2	8	5.6	4	120	-	-	Grey
41020132F	4	8	3.2	8	5.6	4	120	72	4	Grey
41020135F	4	10	3.2	8	5.6	4	120	60	2	Grey
41020121F	4	1.5	3.2	8	5.6	4	120	-	-	Grey
41020126F	4	2.5	3.2	8	5.6	4	120	-	-	Grey
41020239F	4	3.5	3.2	8	5.6	4	120	-	-	Grey
41020140F	5	2	4	10	7	5	150	-	-	Red
41020142F	5	3	4	10	7	5	150	120	8	Red
41020144F	5	4	4	10	7	5	150	-	-	Red
41020145F	5	5	4	10	7	5	150	-	-	Red
41020146F	5	6	4	10	7	5	150	60	4	Red
41020147F	5	8	4	10	7	5	150	-	-	Red
41020149F	5	10	4	10	7	5	150	-	-	Red
41020225F	5	1.5	4	10	7	5	150	-	-	Red
41020141F	5	2.5	4	10	7	5	150	120	8	Red
41020332F	5	3.5	4	10	7	5	150	-	-	Red
41020152F	6	2	4.8	12	8.4	6	180	120	8	Brown
41020154F	6	3	4.8	12	8.4	6	180	90	6	Brown
41020155F	6	4	4.8	12	8.4	6	180	90	6	Brown
41020156F	6	5	4.8	12	8.4	6	180	60	4	Brown
41020157F	6	6	4.8	12	8.4	6	180	48	2	Brown
41020159F	6	8	4.8	12	8.4	6	180	48	3	Brown
41020161F	6	10	4.8	12	8.4	6	180	40	2	Brown
41020238F	6	1.5	4.8	12	8.4	6	180	-	-	Brown

Webbing slings 0,5 - 12 t

Technical data

Part code	WLL ton	EWL	Choke Hitch ton	Basket Hitch 0° ton	Basket Hitch 0-45° ton	Basket Hitch 45°-60° ton	Webbing width mm	Packing/pallet units	Packing Qty.	Colour
41020454F	6	2.5	4.8	12	8.4	6	180	-	-	Brown
41020166F	8	2	6.4	16	11.2	8	240	72	4	Blue
41020168F	8	3	6.4	16	11.2	8	240	72	4	Blue
41020169F	8	4	6.4	16	11.2	8	240	54	3	Blue
41020170F	8	5	6.4	16	11.2	8	240	54	3	Blue
41020171F	8	6	6.4	16	11.2	8	240	36	3	Blue
41020173F	8	8	6.4	16	11.2	8	240	32	2	Blue
41020174F	8	10	6.4	16	11.2	8	240	-	-	Blue
41020311F	8	2.5	6.4	16	11.2	8	240	-	-	Blue
41020193F	10	2	8	20	14	10	300	-	-	Orange
41020022F	10	3	8	20	14	10	300	48	3	Orange
41020023F	10	4	8	20	14	10	300	45	3	Orange
41020197F	10	5	8	20	14	10	300	30	2	Orange
41020024F	10	6	8	20	14	10	300	-	-	Orange
41020026F	10	8	8	20	14	10	300	30	2	Orange
41020018F	10	10	8	20	14	10	300	-	-	Orange
41020020F	10	2.5	8	20	14	10	300	-	-	Orange
41020199F	12	3	9.6	24	16.8	12	300	-	-	Orange
41020202F	12	4	9.6	24	16.8	12	300	-	-	Orange
41020204F	12	5	9.6	24	16.8	12	300	-	-	Orange
41020064F	12	6	9.6	24	16.8	12	300	-	-	Orange
41020206F	12	8	9.6	24	16.8	12	300	-	-	Orange
41020207F	12	10	9.6	24	16.8	12	300	-	-	Orange