



Black Belt Sling Extreema® with HMPE core

Product information

These EXTREEMA[®] HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt $Sling^{TM}$ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of general HMPE (Trosar®), which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordur[®] outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

Features:

- Lightweight and flexible, easy to handle
- Repairable sleeve
- · Does not absorb water
- · Floats on water
- · Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m 65m
- Standard with RFID

Material: PES, Dyneema Marking: CE-marked

Temperature range: -50°C up to +70°C

Safety factor: 7:1

| WLL | EWL | Delivery time |
|-----|-----|---------------|
| ton | m | |

10 5

| 30 | 18 | 12 |
|-----|------|----|
| 40 | 2 | 12 |
| 40 | 6 | 12 |
| 40 | 4 | 12 |
| 50 | 6 | 12 |
| 50 | 3 | 12 |
| 50 | 6 | 12 |
| 75 | 0.5 | 12 |
| 75 | 4.82 | 12 |
| 80 | 4.1 | 12 |
| 80 | 4.4 | 12 |
| 85 | 1 | 12 |
| 85 | 2 | 12 |
| 85 | 3 | 12 |
| 85 | 4 | 12 |
| 85 | 8.7 | 12 |
| 100 | 5 | 12 |
| 100 | 6 | 12 |
| 100 | 10 | 12 |
| 100 | 12 | 12 |
| 120 | 2 | 12 |
| 120 | 7 | 12 |
| 125 | 2 | 12 |
| | | |

| 125 | 4 | 12 |
|-----|----|----|
| 150 | 15 | 12 |
| 160 | 7 | 12 |
| 180 | 5 | 12 |
| 180 | 6 | 12 |
| 200 | 10 | 12 |
| 200 | 6 | 12 |
| 200 | 4 | 12 |
| 250 | 3 | 12 |
| 250 | 5 | 12 |
| 250 | 7 | 12 |
| 250 | 8 | 12 |
| | | |