



Roundsling, basic budget Extreema® with Dyneema® core

Product information

The EXTREEMA® round sling with a polyester sleeve is a standard and cost-effective option for lifting tasks demanding dependable performance within a wide temperature range. Polyester sleeves offer reliability, but there are some aspects to consider.

Core: Bio Based Dyneema® core

Suitable sleeve up to 100t: orange standard PES sleeve

Suitable sleeve > 100t: orange PES inner sleeve and covered with PES heavy-duty sleeve

Features:

- · Lightweight and flexible, easy to handle
- Does not absorb water
- · Floats on water
- Sustainable
- WLL: 3t 600t
- EWL: 0,5m 65m
- Standard with RFID

Material: Polyester, Dyneema®

Marking: CE-marked

Temperature range: -40°C up to +100°C

Note: We highly recommend using suitable protection on the sling

Safety factor: 7:1

| WLL | EWL | Delivery time |
|-----|-----|---------------|
| ton | | |

2 3

| 2 | 3.5 | 12 |
|----|------|----|
| 3 | 3.5 | 12 |
| 3 | 3 | 12 |
| 5 | 1 | 12 |
| 5 | 2 | 12 |
| 5 | 4 | 12 |
| 5 | 6 | 12 |
| 5 | 40 | 12 |
| 10 | 2 | 12 |
| 10 | 4 | 12 |
| 10 | 8 | 12 |
| 10 | 10 | 12 |
| 15 | 1 | 12 |
| 15 | 5 | 12 |
| 16 | 3.75 | 12 |
| 20 | 1 | 12 |
| 20 | 5.14 | 12 |
| 20 | 8 | 12 |
| 20 | 9.7 | 12 |
| 20 | 10 | 12 |
| 24 | 9.14 | 12 |
| 25 | 7.5 | 12 |
| 30 | 5 | 12 |
| | | |

| 30 | 3 | 12 |
|----|------|----|
| 40 | 0.35 | 12 |
| 40 | 2.72 | 12 |
| 40 | 4.88 | 12 |
| 40 | 5.18 | 12 |
| 40 | 20 | 12 |
| 50 | 2 | 12 |
| 60 | 3 | 12 |
| 80 | 1.5 | 12 |
| 80 | 35 | 12 |