



## Round slings assemblies 1-leg

### Product information

Lighter alternative to a chain combination in, for example, transformer lifting without risk of insulator damage etc. Also available with self-locking hooks, rotating swivel hooks, shackles etc.

**Features:** RFID-ready

**Material:** 100% polyester

**Marking:** CE-marked

**Temperature range:** -40°C - +100 °C

**Safety factor:** 4:1

Part code	WLL ton	Length m	Delivery time
PRK1101	1	1	12
PRK1101.5	1	1.5	12
PRK1102	1	2	12
PRK1102.5	1	2.5	12
PRK1103	1	3	12
PRK1104	1	4	12

PRK2101	2	1	12
PRK2101.5	2	1.5	12
PRK2102	2	2	12
PRK2102.5	2	2.5	12
PRK2103	2	3	12
PRK2104	2	4	12
PRK3101	3	1	12
PRK3101.5	3	1.5	12
PRK3102	3	2	12
PRK3102.5	3	2.5	12
PRK3103	3	3	12
PRK3104	3	4	12
PRK5101	5	1	12
PRK5101.5	5	1.5	12
PRK5102	5	2	12
PRK5102.5	5	2.5	12
PRK5103	5	3	12
PRK5104	5	4	12
PRK8102	8	2	12
PRK8102.5	8	2.5	12
PRK8103	8	3	12
PRK8104	8	4	12
PRK8105	8	5	12

