



Battery operated electric wire hoist for lifting and pulling 24V VANOS450A

Product information

Light and easy to operate electrical winch for pulling and lifting. Stepless power control. Equipped with latch hook and overload indicator. 2 x powerfull 24V NiMh batteries and charger.

Note! Cable operating length 3.4 mtr

Features: Speed 2,5 m/min | Charging time 2 h

Marking: CE-marked

Note: No remote control available for the battery-operated hoist

Part code	WLL ton	Operation voltage (V)	Rope length m	Motor kW	Type of battery	Weight kg	Delivery time
43070012F	0.45	24	4.6	0.75	2500 mAh	9.7	12

Technical data

SPARE PARTS

Portable 24V electric wire hoist VANOS450A

Spare part (product code)	Description	Suitable for hoist (product code)		
VANOSVAI4,6	Wire rope 4,6 m ø 5,8 mm, effective working length 3,4 m Incl. drum	VANOS450A		
VANOSAHIILI	Coal	VANOS450A		
VANOSLATURI	Charger Part no. 51	VANOS450A		
VANOSAKKU	Battery Part no. 27	VANOS450A		
VANOSYKOU	Top swivel hook, incl. fasteners Part no. 36	VANOS450A		
VANOSAKOU	Bottom hook, incl. fasteners Part no. 11	VANOS450A		

Blueprint

