



## Eye sling hook with latch SALKA, grade 100

### Product information

Hook is equipped with spring loaded safety latch.

**Material:** Steel

**Marking:** CE-marked

**Temperature range:** -40 - (+)200°C / 400°C = WLL 75%

**Finish:** Painted, blue

**Warning:** Not to be heat-treated

**Safety factor:** 4:1

**Grade:** 10

Part code	WLL ton	For chain Ø mm	P mm	A mm	K mm	H mm	Weight kg	Delivery time
42050113F	1.4	6	18	20	80	21	0.32	2
42050124F	2.5	8	25	25	98	27	0.6	2
42050114F	4	10	28	34	120	33	1.2	2
42050116F	6.7	13	38	43	152	43	2.2	2
42050118F	10	16	44	50	183	50	3.5	2
42050121F	16	20	52	55	217	56	7.15	2
42050122F	19	22	66	60	241	62	11.5	2

## Technical data

## SPARE PARTS

Spare part set (product code)   Inc. latch, spring and pin/nut	Fits the hook (product code)
SALKAVO1006S	SALKA1006
SALKAVO1078S	SALKA1078
SALKAVO1010S	SALKA1010
SALKAVO1013S	SALKA1013
SALKAVO1016S	SALKA1016
SALKAVO1020S	SALKA1020
SALKAVO1022S	SALKA1022

# Blueprint

