

## The Original Roundsling Extreema® with Dyneema® core



### Product information

The Original Extreema® roundsling with Dyneema® core is a high-strength lifting sling designed for heavy-duty industrial lifting where low weight and durability are critical. Built with parallel-laid HMPE fibers, it delivers consistent load distribution and reliable performance. The HMPE cut-resistant sleeve protects the sling and load in demanding handling conditions.

Its core is made of Bio-Based Dyneema®, which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is white HMPE Extreema® L-series sleeve. With exceptional performance against cuts, abrasions, and punctures. The white sleeve is repairable.

WLL range: 3t – 600t

EWL range: 0,5m – 65m

### When to choose this product

#### Best for:

- Heavy lifting requiring high strength with minimal sling weight
- Environments with abrasion, cutting risk, or chemical exposure

#### Product benefits:

- Dyneema® HMPE core provides high strength with low weight
- Cut-resistant HMPE sleeve protects against abrasion and punctures
- Does not absorb water and floats, suitable for marine use
- Chemical-resistant material supports use in harsh environments
- Repairable sleeve extends service life and reduces downtime
- RFID improve inspection and traceability

**Marking:** CE-marked

**Safety factor:** 7:1

| Код товара      | Код        | WLL<br>ton | EWL<br>m | Delivery time |
|-----------------|------------|------------|----------|---------------|
| -               | -          | 3          | 4        | 12            |
| -               | -          | 4          | 3        | 12            |
| -               | -          | 5          | 1        | 12            |
| -               | -          | 5          | 4        | 12            |
| 12.20EXL0100XXX | EXL/10/XXX | 10         | -        | 12            |
| -               | -          | 10         | 1        | 12            |
| -               | -          | 10         | 2        | 12            |
| -               | -          | 10         | 3        | 12            |
| -               | -          | 10         | 6        | 12            |
| 12.20EXL0120XXX | EXL/12/XXX | 12         | -        | 12            |
| -               | -          | 12         | 4        | 12            |
| -               | -          | 12         | 5        | 12            |
| -               | -          | 12         | 8        | 12            |
| -               | -          | 12         | 10       | 12            |
| -               | -          | 12         | 12       | 12            |
| -               | -          | 12         | 15       | 12            |
| -               | -          | 12         | 20       | 12            |
| 12.20EXL0150XXX | EXL/15/XXX | 15         | -        | 12            |
| -               | -          | 15         | 4        | 12            |
| -               | -          | 15         | 12       | 12            |
| -               | -          | 15         | 15       | 12            |

|                 |            |    |     |    |
|-----------------|------------|----|-----|----|
| -               | -          | 15 | 1,5 | 12 |
| -               | -          | 15 | 2,5 | 12 |
| 12.20EXL0200XXX | EXL/20/XXX | 20 | -   | 12 |
| -               | -          | 20 | 1   | 12 |
| -               | -          | 20 | 7   | 12 |
| -               | -          | 20 | 9   | 12 |
| -               | -          | 20 | 10  | 12 |
| 12.20EXL0250XXX | EXL/25/XXX | 25 | -   | 12 |
| -               | -          | 25 | 10  | 12 |
| -               | -          | 25 | 6   | 12 |
| -               | -          | 25 | 7   | 12 |
| -               | -          | 25 | 9   | 12 |
| -               | -          | 25 | 12  | 12 |
| -               | -          | 25 | 20  | 12 |
| 12.20EXL0300XXX | EXL/30/XXX | 30 | -   | 12 |
| -               | -          | 30 | 3   | 12 |
| -               | -          | 30 | 4   | 12 |
| -               | -          | 30 | 5   | 12 |
| -               | -          | 30 | 6   | 12 |
| -               | -          | 30 | 7   | 12 |
| -               | -          | 30 | 15  | 12 |
| -               | -          | 30 | 18  | 12 |
| -               | -          | 30 | 20  | 12 |

|                 |             |     |    |    |
|-----------------|-------------|-----|----|----|
| -               | -           | 30  | 25 | 12 |
| 12.20EXL0400XXX | EXL/40/XXX  | 40  | -  | 12 |
| -               | -           | 40  | 15 | 12 |
| -               | -           | 40  | 8  | 12 |
| -               | -           | 40  | 10 | 12 |
| -               | -           | 40  | 12 | 12 |
| -               | -           | 40  | 15 | 12 |
| 12.20EXL0500XXX | EXL/50/XXX  | 50  | -  | 12 |
| -               | -           | 50  | 10 | 12 |
| -               | -           | 50  | 5  | 12 |
| -               | -           | 50  | 9  | 12 |
| -               | -           | 50  | 12 | 12 |
| -               | -           | 60  | 8  | 12 |
| -               | -           | 65  | 5  | 12 |
| -               | -           | 70  | 4  | 12 |
| -               | -           | 70  | 5  | 12 |
| 12.20EXL0750XXX | EXL/75/XXX  | 75  | -  | 12 |
| -               | -           | 80  | 5  | 12 |
| -               | -           | 80  | 6  | 12 |
| -               | -           | 80  | 7  | 12 |
| -               | -           | 80  | 8  | 12 |
| -               | -           | 80  | 10 | 12 |
| 12.20EXL1000XXX | EXL/100/XXX | 100 | -  | 12 |

|                 |             |     |    |    |
|-----------------|-------------|-----|----|----|
| -               | -           | 100 | 8  | 12 |
| -               | -           | 100 | 15 | 12 |
| -               | -           | 100 | 20 | 12 |
| -               | -           | 100 | 3  | 12 |
| -               | -           | 100 | 4  | 12 |
| -               | -           | 120 | 5  | 12 |
| -               | -           | 120 | 7  | 12 |
| 12.20EXL1250XXX | EXL/125/XXX | 125 | -  | 12 |
| -               | -           | 125 | 3  | 12 |
| -               | -           | 125 | 5  | 12 |
| 12.20EXL1500XXX | EXL/150/XXX | 150 | -  | 12 |
| 12.20EXL2000XXX | EXL/200/XXX | 200 | -  | 12 |