

## The Original Roundsling Extreema® with Dyneema® core

### Product information



The Original Extreema® roundsling with Dyneema® core is a high-strength lifting sling designed for heavy-duty industrial lifting where low weight and durability are critical. Built with parallel-laid HMPE fibers, it delivers consistent load distribution and reliable performance. The HMPE cut-resistant sleeve protects the sling and load in demanding handling conditions.

Its core is made of Bio-Based Dyneema®, which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is white HMPE Extreema® L-series sleeve. With exceptional performance against cuts, abrasions, and punctures. The white sleeve is repairable.

WLL range: 3t – 600t

EWL range: 0,5m – 65m

#### When to choose this product

##### Best for:

- Heavy lifting requiring high strength with minimal sling weight
- Environments with abrasion, cutting risk, or chemical exposure

##### Product benefits:

- Dyneema® HMPE core provides high strength with low weight
- Cut-resistant HMPE sleeve protects against abrasion and punctures
- Does not absorb water and floats, suitable for marine use
- Chemical-resistant material supports use in harsh environments
- Repairable sleeve extends service life and reduces downtime
- RFID improve inspection and traceability

... [Read more](#)

**Marking:** CE-marked

**Safety factor:** 7:1

## The Original Roundsling Extreema® with Dyneema® core

### Technical data

Код товара	Код	WLL ton	EWL m
-	-	3	4
-	-	4	3
-	-	5	1
-	-	5	4
12.20EXL0100XXX	EXL/10/XXX	10	-
-	-	10	1
-	-	10	2
-	-	10	3
-	-	10	6
12.20EXL0120XXX	EXL/12/XXX	12	-
-	-	12	4
-	-	12	5
-	-	12	8
-	-	12	10
-	-	12	12
-	-	12	15
-	-	12	20
12.20EXL0150XXX	EXL/15/XXX	15	-
-	-	15	4
-	-	15	12
-	-	15	15
-	-	15	1,5
-	-	15	2,5
12.20EXL0200XXX	EXL/20/XXX	20	-
-	-	20	1
-	-	20	7
-	-	20	9
-	-	20	10
12.20EXL0250XXX	EXL/25/XXX	25	-
-	-	25	10
-	-	25	6

## The Original Roundsling Extreema® with Dyneema® core

### Technical data

Код товара	Код	WLL ton	EWL m
-	-	25	7
-	-	25	9
-	-	25	12
-	-	25	20
12.20EXL0300XXX	EXL/30/XXX	30	-
-	-	30	3
-	-	30	4
-	-	30	5
-	-	30	6
-	-	30	7
-	-	30	15
-	-	30	18
-	-	30	20
-	-	30	25
12.20EXL0400XXX	EXL/40/XXX	40	-
-	-	40	15
-	-	40	8
-	-	40	10
-	-	40	12
-	-	40	15
12.20EXL0500XXX	EXL/50/XXX	50	-
-	-	50	10
-	-	50	5
-	-	50	9
-	-	50	12
-	-	60	8
-	-	65	5
-	-	70	4
-	-	70	5
12.20EXL0750XXX	EXL/75/XXX	75	-
-	-	80	5

## The Original Roundsling Extreema® with Dyneema® core

### Technical data

Код товара	Код	WLL ton	EWL m
-	-	80	6
-	-	80	7
-	-	80	8
-	-	80	10
12.20EXL1000XXX	EXL/100/XXX	100	-
-	-	100	8
-	-	100	15
-	-	100	20
-	-	100	3
-	-	100	4
-	-	120	5
-	-	120	7
12.20EXL1250XXX	EXL/125/XXX	125	-
-	-	125	3
-	-	125	5
12.20EXL1500XXX	EXL/150/XXX	150	-
12.20EXL2000XXX	EXL/200/XXX	200	-