Forankra
Zabezpieczamy wszystko w transporcie™

# Black Belt Sling™ Extreema® with Dyneema® core

**Product information**



These Extreema® HMPE soft slings have an extensive track record and a solid global footprint in the heavy lift industry. The Black Belt Sling™ has unparalleled load-bearing capacity, ensuring the safe and efficient lifting of even the heaviest loads.

The core is made of Bio Based Dyneema®, which makes it up to 15 times stronger than steel on a weight-to-weight basis.

The sleeve is an orange PES inner sleeve and is covered with a black knitted Cordura® outer sleeve, which is known for its resistance to abrasions, tears, and scuffs. The black sleeve is repairable.

**When to choose this product**

**Best for:**

- Heavy lifting with cranes, shackles, and large connection points
- Environments with high abrasion and repeated handling

**Features:**

- Lightweight and flexible, easy to handle
- Repairable sleeve
- Does not absorb water
- Floats on water
- Abrasion, tearing and scuff resistant
- Sustainable
- High pressure resistant
- EWL: 0,5m – 65m
- Standard with RFID

... *Read more*

**Marking:** CE-marked

**Safety factor:** 7:1

**Forankra Polska**
office@forankra.pl
+48 91 418 25 91

© November 2026 - All Rights Reserved

Forankra
Zabezpieczamy wszystko w transporcie™

# Black Belt Sling™ Extreema® with Dyneema® core

## Technical data

| Код товара | WLL ton | EWL m |
|---|---|---|
| - | 12 | 6 |
| 12.20EXCO0150XXX | 15 | - |
| - | 15 | 13 |
| - | 16 | 1 |
| - | 18 | 7,5 |
| 12.20EXCO0200XXX | 20 | - |
| - | 20 | 4,8 |
| - | 20 | 5,14 |
| - | 20 | 1,49 |
| - | 20 | 1,75 |
| - | 20 | 1,91 |
| - | 20 | 2,42 |
| - | 25 | 2,23 |
| - | 25 | 4 |
| - | 25 | 4,75 |
| - | 25 | 5 |
| - | 25 | 1 |
| - | 25 | 3 |
| 12.20EXCO0300050 | 30 | 5 |
| 12.20EXCO0300XXX | 30 | - |
| - | 30 | 10,53 |
| - | 30 | 2,01 |
| - | 30 | 2,75 |
| - | 30 | 3 |
| - | 30 | 4 |
| - | 30 | 8 |
| - | 30 | 1 |
| - | 30 | 1,5 |
| - | 35 | 1,5 |
| - | 35 | 1,9 |
| - | 35 | 3,47 |

**Forankra Polska**
office@forankra.pl
+48 91 418 25 91

© November 2026 - All Rights Reserved

Forankra
Zabezpieczamy wszystko w transporcie™

# Black Belt Sling™ Extreema® with Dyneema® core

## Technical data

| Код товара | WLL ton | EWL m |
|---|---|---|
| - | 35 | 3,6 |
| - | 35 | 4,5 |
| - | 35 | 5,5 |
| 12.20EXCO0400050 | 40 | 5 |
| 12.20EXCO0400XXX | 40 | - |
| - | 40 | 1,73 |
| - | 40 | 10,2 |
| - | 40 | 2,68 |
| - | 40 | 3 |
| - | 40 | 3,25 |
| - | 40 | 4,88 |
| - | 40 | 5,18 |
| - | 40 | 7,96 |
| - | 40 | 9,7 |
| - | 40 | 6,5 |
| - | 45 | 1,8 |
| - | 45 | 4,5 |
| - | 45 | 5 |
| - | 45 | 5,75 |
| - | 45 | 7 |
| 12.20EXCO0500XXX | 50 | - |
| - | 50 | 1 |
| - | 50 | 1,25 |
| - | 50 | 1,5 |
| - | 50 | 2,4 |
| - | 50 | 2,9 |
| - | 50 | 3 |
| - | 50 | 3,1 |
| - | 50 | 3,42 |
| - | 50 | 3,5 |
| - | 50 | 4 |

**Forankra Polska**
office@forankra.pl
+48 91 418 25 91

© November 2026 - All Rights Reserved

Forankra
Zabezpieczamy wszystko w transporcie™

# Black Belt Sling™ Extreema® with Dyneema® core

## Technical data

| Код товара | WLL ton | EWL m |
|---|---|---|
| - | 50 | 4,6 |
| - | 50 | 5 |
| - | 50 | 7 |
| - | 50 | 14 |
| - | 55 | 7,7 |
| - | 56 | 10 |
| - | 56 | 16 |
| - | 60 | 1 |
| - | 60 | 2 |
| - | 60 | 2,4 |
| - | 60 | 2,5 |
| - | 60 | 3 |
| - | 60 | 3,2 |
| - | 60 | 3,3 |
| - | 60 | 3,35 |
| - | 60 | 3,55 |
| - | 60 | 5 |
| - | 60 | 5,8 |
| - | 60 | 9 |
| - | 65 | 14 |
| - | 65 | 2,5 |
| - | 65 | 5 |
| - | 70 | 2,5 |
| 12.20EXCO0750050 | 75 | 5 |
| 12.20EXCO0750XXX | 75 | - |
| - | 75 | 0,5 |
| - | 75 | 10 |
| - | 75 | 8 |
| - | 80 | 2,07 |
| - | 80 | 5,5 |
| - | 80 | 6,95 |

**Forankra Polska**
office@forankra.pl
+48 91 418 25 91

© November 2026 - All Rights Reserved

Forankra
Zabezpieczamy wszystko w transporcie™

# Black Belt Sling™ Extreema® with Dyneema® core

## Technical data

| Код товара | WLL ton | EWL m |
|---|---|---|
| - | 80 | 1,5 |
| - | 80 | 14 |
| - | 90 | 14 |
| - | 90 | 5 |
| - | 90 | 9 |
| 12.20EXCO1000050 | 100 | 5 |
| 12.20EXCO1000XXX | 100 | - |
| - | 100 | 10 |
| - | 100 | 12 |
| - | 100 | 3 |
| - | 100 | 7,3 |
| - | 120 | 2 |
| - | 120 | 27 |
| - | 120 | 3 |
| - | 120 | 4,5 |
| - | 120 | 7 |
| 12.20EXCO1250500 | 125 | 5 |
| 12.20EXCO1250XXX | 125 | - |
| - | 125 | 12,8 |
| - | 125 | 2 |
| - | 125 | 4 |
| - | 125 | 6,4 |
| - | 125 | 8 |
| 12.20EXCO1500500 | 150 | 5 |
| 12.20EXCO1500XXX | 150 | - |
| - | 150 | 2,5 |
| - | 150 | 4,5 |
| - | 150 | 4,73 |
| - | 150 | 6,8 |
| - | 160 | 27 |
| - | 160 | 7 |

**Forankra Polska**
office@forankra.pl
+48 91 418 25 91

© November 2026 - All Rights Reserved

Forankra
Zabezpieczamy wszystko w transporcie™

# Black Belt Sling™ Extreema® with Dyneema® core

## Technical data

| Код товара | WLL ton | EWL m |
|---|---|---|
| - | 180 | 14 |
| - | 180 | 5 |
| - | 180 | 6 |
| - | 185 | 12,87 |
| - | 195 | 14,75 |
| - | 195 | 16 |
| 12.20EXCO2000500 | 200 | 5 |
| 12.20EXCO2000XXX | 200 | - |
| - | 200 | 1,5 |
| - | 200 | 12,06 |
| - | 200 | 4 |
| - | 200 | 6 |
| - | 200 | 8 |
| - | 217,4 | 3 |
| - | 217,4 | 3,51 |
| - | 220 | 4 |
| - | 250 | 3 |
| - | 250 | 5 |
| - | 250 | 7 |
| - | 269,8 | 11,7 |
| - | 269,8 | 5,85 |
| - | 270 | 4,41 |
| - | 290 | 3,05 |

**Forankra Polska**
office@forankra.pl
+48 91 418 25 91

© November 2026 - All Rights Reserved